

Pharmaceutical Technology Perspectives

Muhammad Taher




IIUM PRESS

INTERNATIONAL ISLAMIC UNIVERSITY MALAYSIA

Pharmaceutical Technology Perspectives

Editor

Muhammad Taher



IIUM Press

Published by:
IIUM Press
International Islamic University Malaysia

First Edition, 2011
©IIUM Press, IIUM

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without any prior written permission of the publisher.

Perpustakaan Negara Malaysia Cataloguing-in-Publication Data

Muhammad Taher
Pharmaceutical Technology Perspectives
Muhammad Taher
Include index
Bibliography: p. 149

ISBN: 978-967-418-075-1

Member of Majlis Penerbitan Ilmiah Malaysia – MAPIM
(Malaysian Scholarly Publishing Council)

Printed by :
IIUM PRETING SDN. BHD.
No. 1, Jalan Industri Batu Caves 1/3
Taman Perindustrian Batu Caves
Batu Caves Centre Point
68100 Batu Caves
Selangor Darul Ehsan

Table of Content

1. Small Active Molecules with Insulin Mimetic Activity	12
<i>Muhammad Taher</i>	
2. Liver and Kidney Protective Effects of the Polyphenols, Tocopherols and Carotenoids	25
<i>Juliana bt Md. Jaffri</i>	
3. Potential Surface Active Properties of <i>Nigella sativa</i>	37
<i>Siti Nurfajariah bt Said and Kausar bt Ahmad</i>	
4. Pufa in Fish: Extraction and Fractionation Methods	51
<i>Sahena Ferdosh and Md. Zaidul Islam Sarker</i>	
5. Polypyrrole-Peg Composite Film for Drug Delivery	64
<i>Khadijah bt Edueng</i>	
6. Co-Encapsulation of Cyclophosphamide and Mesna into Double-Walled Microspheres	77
<i>Farahidah bt Mohamed and Christopher van der Wallle</i>	
7. A Recent Updates of Polysaccharide Based Nanoparticulate Oral Preparation of Insulin with Special Emphasis on <i>In Vivo</i> Application	97
<i>Uttam Kumar Mandal</i>	
8. Development of an Appropriate and Robust Dissolution Method for Solid Dosage Forms	116
<i>Uttam Kumar Mandal</i>	
9. Use of Cyclodextrin in the Production of Biomedical Nano Particles	126
<i>Omar El-Hadad</i>	
10. The Role of Pharmacogenetic Variation in Metoprolol CYP2D6 Genotypes Polymorphism	133
<i>Wan Mohd Azizi Wan Sulaiman, Tariq Abdul Razak, Lay Kek Teh and Rusli Ismail</i>	
11. Polymorphic Crystals and Their Characterisation	163
<i>Mohd Rushdi Abu Bakar, Zoltan Kalman Nagy and Christopher David Rielly</i>	

CHAPTER 3

POTENTIAL SURFACE ACTIVE PROPERTIES OF *NIGELLA SATIVA*

Siti Nurfajariah bt Said and Kausar bt Ahmad

Kulliyyah of Pharmacy, International Islamic University Malaysia,
Jalan Sultan Ahmad Shah, 25200 Kuantan, Pahang, Malaysia

The potential surface active properties of Nigella sativa may arise from numerous fatty acids that can be isolated from the extract of black seeds. The extract of black seeds mostly composes of fixed oils (fatty acids) and volatile oils. The major fatty acids in black seeds are linoleic acid, followed by oleic and palmitic acids; the percentage compositions are described. The major volatile oils are thymoquinone and nigellone. The potential surface active properties of Nigella sativa can be exploited for emulsification.

3.1 Surfactants

Surfactant is an agent that is used to reduce the interfacial tension between two immiscible liquids as simple as water and oil. Presence of surfactants in products used daily enable us to clean dirty clothes, writing on a paper using a pen and having various kinds of pharmaceuticals or cosmetics. A surfactant has certain and specific properties that make it useful as emulsifier, dispersant, wetting or foaming agent. In the pharmaceutical field, surfactant is added in the drug formulation to enhance drug delivery and stabilize the drugs with specific function in emulsions. It has important roles in increasing solubility of the drugs, enhancing the release of drugs and transport, minimizing toxicity, slowing degradation and thus enhancing the effectiveness of the drugs.